

Republic of the Philippines  
**AKLAN STATE UNIVERSITY**  
**Bids and Awards Committee**  
Banga, Aklan


**SUPPLEMENTAL / BID BULLETIN NO. 2017-14**

**Procurement of Sports Equipment**

This BID BULLETIN No. 2017-14 is hereby issued to amend and adopt the revisions in the attached Section VI. Schedule of Requirements, Section VII. Technical Specifications and the Checklist of Eligibility Requirements for your information and guidance in connection with the abovementioned project and the same shall be taken into consideration in the preparation of your bids.

This bid bulletin shall form an integral part of the Bid Documents.

For the information and guidance of all concerned.



**CECILIA T. REYES, PhD**  
Chairperson, Bids and Awards Committee

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description   | Quantity | Total | Delivered, Weeks/Months |
|-------------|---|----------|-------|-------------------------|
|             | <b>Pencak Silat Equipment (Men &amp; Women)</b>   |          |       |                         |
| 1           | Head Gear (Red and Blue) (light and safe; easy to put on and remove; one of the most versatile head guards around; has air holes throughout to reduce sweat; Velcro fastening chin strap.) <b>without screen/wire mask</b>  | 2 pcs    |       | 30 days                 |
| 2           | Body Protector (Black) Without shoulder s made of Vinyl; inside Chest Mold rubber Padding.  | 2 pcs    |       | 30 days                 |
| 3           | Mouth Guard (Transparent), single   | 8 pcs    |       | 30 days                 |
| 4           | Knee Guard, Black (Dual Function Velcro Strapping around the ankle; ventilated inner mesh materials; Vinyl covered EVA panels for extra protection and comfortable fit)   | 2 pairs  |       | 30 days                 |
| 5           | Shin Guard, Black (Complete with air holes; mould firmly to the shin; securely fastened with Velcro Straps; made from foam, dipped in a PVC resin; part of dipped foam range.)  | 2 pairs  |       | 30 days                 |
|             | <b>Karatedo Equipment</b>   |          |       | 30 days                 |
| 6           | Gloves, Red (Lightweight, flexible sparring gloves; sectioned EVA pads on back of hand and thumbs; ventilated materials allowing your palms to breathe; adjustable Velcro wrist strap; premium synthetic leather)   | 1 pair   |       | 30 days                 |
| 7           | Gloves, Blue (Lightweight, flexible sparring gloves; sectioned EVA pads on back of hand and thumbs; ventilated materials allowing your palms to breathe; adjustable Velcro wrist strap; premium synthetic leather)  | 1 pair   |       | 30 days                 |
| 8           | Shin Guard and Padded Shoes, Red<br><b>For shin guard:</b><br>Complete with air holes; mould firmly to the shin; securely fastened with Velcro Straps; made from foam, dipped in a PVC resin; part of dipped foam range.<br><b>For Padded Shoes:</b><br>Made of premium synthetic PU leather and Lycra Fabric; 5mm EVA lining pads on the instep, toes and ankle, helps to release shock impact; Adjustable Velcro backing and separate toes wearing design, is easy and fasten to fixed. | 1 pair   |       | 30 days                 |

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description  | Quantity | Total | Delivered, Weeks/Months |
|-------------|--|----------|-------|-------------------------|
| 9           | Shin Guard and Padded Shoes, Blue<br><b>For shin guard:</b><br>Complete with air holes; mould firmly to the shin; securely fastened with Velcro Straps; made from foam, dipped in a PVC resin; part of dipped foam range.<br><b>For Padded Shoes:</b><br>Made of premium synthetic PU leather and Lycra Fabric; 5mm EVA lining pads on the instep, toes and ankle, helps to release shock impact; Adjustable Velcro backing and separate toes wearing design, is easy and fasten to fixed. | 1 pair   |       | 30 days                 |
| 10          | Mouth Guard (Clear), single  | 10 pcs   |       |                         |
| 11          | Belt, Red (Polyester/cotton middleweight material; 1-3/4 inches wide, with seven rows of chain stitching)  | 12 pcs   |       | 30 days                 |
| 12          | Belt, Blue (Polyester/cotton middleweight material; 1-3/4 inches wide, with seven rows of chain stitching)   | 12 pcs   |       | 30 days                 |
| 13          | Rubber Mats (Small Teeth) Durable; Easy to store; Precise fit and easy to assemble; High-grade rubber for impact absorption; Dimensions: 1m x 1m x 12mm  | 20 pcs   |       | 30 days                 |
|             | <b>Taekwondo Equipment</b>   |          |       | 30 days                 |
| 14          | Head Gear, Blue/White (light and safe; easy to put on and remove; one of the most versatile head guards around; has air holes throughout to reduce sweat; Velcro fastening chin strap.)  | 2 pcs    |       | 30 days                 |
| 15          | Head Gear, Red (light and safe; easy to put on and remove; one of the most versatile head guards around; has air holes throughout to reduce sweat; Velcro fastening chin strap.)   | 2 pcs    |       | 30 days                 |
| 16          | Body Protector, size #2 (lightweight, high impact, body protection; blue spots one side, red spots on the reverse side; reinforced straps that tie at the back; suitable for semi contact sparring; lightweight EVA foam in a tough polyurethane cover)  | 2 pcs    |       | 30 days                 |
| 17          | Body Protector, size #3 (lightweight, high impact, body protection; blue spots one side, red spots on the reverse side; reinforced straps that tie at the back; suitable for semi contact sparring; lightweight EVA foam in a tough polyurethane cover)  | 2 pcs    |       | 30 days                 |
| 18          | Shin Guard (Complete with air holes; mould firmly to the shin; securely fastened with Velcro Straps; made from foam, dipped in a PVC resin; part of dipped foam range.)  | 2 pairs  |       | 30 days                 |

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description   | Quantity | Total | Delivered, Weeks/Months |
|-------------|---|----------|-------|-------------------------|
| 19          | Knee Guard (Material Diamond PU or regular PU; type WTF standard; Eco-friendly odorless and nontoxic.)  | 2 pairs  |       | 30 days                 |
| 20          | Groin Guard (Men) (standard groin guard with detachable plastic cup; elasticated waist band and support straps; cup is enclosed in a layered pocket with proper opening; can be worn under or over trousers; made from a polyester/cotton/lycra mix.) <b>Size: Medium &amp; Large</b>                         | 2 pcs    |       | 30 days                 |
| 21          | Female Guard (Shock absorbing to the groin area; elasticated waist band and support straps; designated to be exclusively for women; can be worn under or over trousers; made from UP) <b>Size: Medium &amp; Large</b>   | 2 pcs    |       | 30 days                 |
| 22          | Mouth Guard, <b>single</b>  | 16 pcs   |       | 30 days                 |
| 23          | Weighing Scale (Movable; Indicator in kilograms (metric system; Maximum measurable weight: 130 kg / 61 lb; Lightweight; Dimensions: 27 x 24 x 4)  | 1 pc     |       | 30 days                 |
| 24          | Whistle (Durable made with ABS material. Comes with Lanyard; No moveable parts, 2 chamber pealess design, Cushioned Mouth Grip (CMG))   | 2 pcs    |       | 30 days                 |
|             | <b>Softball Equipment</b>   |          |       | 30 days                 |
| 25          | Knee Guard (Made of NYLON/ SPANDEX, 3/8 inch thick foam (Breathable foam padding), "keyhole" design; Open back design with Side wings.)   | 3 pairs  |       | 30 days                 |
| 26          | Head Mask (RIPDG-A. Powder-coated bars. Lightweight design; Adjustable width. Provides 180° of vision for an unobstructed view of the field; Upgraded chin cup with VELCRO® brand closures covering the entire backside for customizable attachment; Flexible head strap. Side padding accommodates glasses.) | 2 pcs    |       | 30 days                 |
| 27          | Body Protector (Slow Release Padding; Includes a Six Piece Heart Shield; TAG Mesh Velcro Adjustable Back; Two Removable Shoulder Caps; 16" Length.)   | 3 pcs    |       | 30 days                 |
| 28          | Base Plate (Complete Set) (Inverted sewn seams for extra durability and double-thick-top for long lasting wear; Outer cover is 100% nylon-impregnated vinyl; Polyfoam inner core for maximum shape retention; Packed 3 bases per set with 6 spikes; Official size: 15" x 15")                                 | 1 set    |       | 30 days                 |

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description  | Quantity | Total | Delivered, Weeks/Months |
|-------------|--|----------|-------|-------------------------|
| 29          | Softball Gloves ( <b>9 pcs/set</b> ) (Genuine Leather, Size: 11.75 in, Back: Conventional, Player Break-In: 20, Fit: Youth Pro Taper, Lace: Durable all leather, Lining: Cushioned finger back lining, Padding: Palm and index finger padding for shock resistance, Pattern: Baseball, Series: Select Pro Lite, Shell: Lightweight Leather Shell, Type: Baseball, Web: Vertical Hinge) | 2 sets   |       | 30 days                 |
| 30          | Softball Bat, Aluminum Barrel- 2-5/6" Diameter, 3 Drop Weight, Grip-1.2mm Hyperskin Grip, Handle-Ultra Thin 35/29" Composite Handle, Size 31 inches/21 oz  | 2 pcs    |       | 30 days                 |
| 31          | Softball Ball (made of Polyurethane (PU) material or Cork material)  | 10 pcs   |       | 30 days                 |
|             | <b>Baseball Equipment</b>  |          |       | 30 days                 |
| 32          | Knee Guard (M7 Leg Guards, Triple knee provides protection in and out of the squat, IKP (Inner Knee Protection), Removable liner is machine washable, Size: 16")   | 3 pairs  |       | 30 days                 |
| 33          | Head Mask (Model A165098BK; Assembled Product Weight 1 Pounds; with lightweight, high-strength cage; Designed for maximum field vision; Energy absorbing foam maximizes protection; Moisture-wicking material maintains dry comfort)   | 2 pcs    |       | 30 days                 |
| 34          | Body Protector (Slow Release Padding; Includes a Six Piece Heart Shield; TAG Mesh Velcro Adjustable Back; Two Removable Shoulder Caps; 16" Length.)  | 3 pcs    |       | 30 days                 |
| 35          | Batting Tee (Hand rolled rubber Flex Top, Comprised of two parts, an adjustable stem and a nine inch weather resistant polymer base, Adjustable 26-43 inch, model weighs in at just under six pounds, with a 9x9" standard base with rounded edges.)   | 1 set    |       | 30 days                 |
| 36          | Baseball Bat, Aluminum Barrel- 2-5/8" Diameter, 3 Drop Weight, Grip-1.2mm Hyper skin Grip, Handle-Ultra Thin 39/32" Composite Handle, Size 31 inches/21 oz   | 2 pcs    |       | 30 days                 |
| 37          | Baseball Gloves ( <b>9 pcs/set</b> ) (Genuine Leather, Size: 11.75 in, Back: Conventional, Player Break-In: 20, Fit: Youth Pro Taper, Lace: Durable all leather, Lining: Cushioned finger back lining, Padding: Palm and index finger padding for shock resistance, Pattern: Baseball, Series: Select Pro Lite, Shell: Lightweight Leather Shell, Type: Baseball, Web: Vertical Hinge) | 2 sets   |       | 30 days                 |
| 38          | Baseball Ball (weight 142 and 149 g; circumference 229–235 mm; diameter 2 7/8–3 in or 73–76 mm; made of rubber or cork center, wrapped in yarn)  | 10 pcs   |       | 30 days                 |

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description   | Quantity | Total | Delivered, Weeks/Months |
|-------------|---|----------|-------|-------------------------|
| 39          | Crotch Cup (Single-layer impact protection, Bio-shape design fits the natural curves of the body for a more secure fit, Gel Perimeter Pad ensures a comfortable fit without restricting range of motion, Vented Bio-shape body promotes airflow.)                               | 3 pcs    |       | 30 days                 |
|             | <b>Arnis Equipment</b>  |          |       | 30 days                 |
| 40          | Padded Stick (for Arnis), Red, Length: 30", 28"; made of tough internal assembly  | 15 pcs   |       | 30 days                 |
| 41          | Padded Stick (for Arnis), Blue, Length: 30", 28"; made of tough internal assembly   | 15 pcs   |       | 30 days                 |
| 42          | Groin Guard (Men) special contoured groin cup; kept in place by a dual-Velcro strap.<br><b>Size: Medium &amp; Large</b>   | 4 pairs  |       | 30 days                 |
| 43          | Groin Guard (Women) lightweight padding; kept in place by a dual-Velcro strap. <b>Size: Medium &amp; Large</b>  | 4 pairs  |       | 30 days                 |
| 44          | Arm Guard (Cover cool-tech material and vinyl printed with ethnic art.)<br><b>Size: Medium &amp; Large</b>  | 4 pairs  |       | 30 days                 |
| 45          | Shin Guard (made of genuine cowhide leather or artificial leather; style Velcro closing strap). <b>Size: Medium &amp; Large</b>   | 4 pairs  |       | 30 days                 |
|             | <b>Table Tennis Equipment</b>   |          |       |                         |
| 47          | Table Tennis Table, (Weight: 98 kl, Thickness: 6mm Aluminum Composite, Surface Color: Sky Blue, Height: 760mm adjustable, Length: 2740mm, Width: 1525mm, Bouncing: 220-250mm, Bouncing Range: Less than 5mm, Package Size: 1650 x 1460 x 210 (mm). <b>Foldable with wheels.</b> | 2 units  |       | 30 days                 |
| 48          | Table Tennis Net w/ Clamp (Net Fixing: Inside / Post Fixing: Spring72" cotton mesh net and heavy duty metal posts. Tension and height adjustment available; Can firmly fix to the table to keep the net tension high.)  | 2 pcs    |       | 30 days                 |
| 49          | Rubber Sheet, Pimpled, Black (for TT Racket) Speed: 10, Spin: 8)  | 1 pc     |       | 30 days                 |
| 50          | Rubber Sheet, Pimpled, Red ((for TT Racket) Speed: 10, Spin: 8)   | 1 pc     |       | 30 days                 |
| 51          | Rubber Sheet, Plain, Black ((for TT Racket) Speed: 8.8, Spin: 9.1, Tackiness: 2.5 Slightly Tacky, Weight: 4.0 average, Sponge Hardness: 4.9 Medium, Gear: 8.7 many gears, Throw Angle 5.8 Medium high, Consistency: 9.3, Durability: 7.8 Lasts longer than average.)            | 1 pc     |       | 30 days                 |
| 52          | Rubber Sheet, Plain, Red ((for TT Racket) Speed: 8.8, Spin: 9.1, Tackiness: 2.5 Slightly Tacky, Weight: 4.0 average, Sponge Hardness: 4.9 Medium, Gear: 8.7 many gears, Throw Angle 5.8 Medium high, Consistency: 9.3, Durability: 7.8 Lasts longer than average.)              | 1 pc     |       | 30 days                 |

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description  | Quantity | Total | Delivered, Weeks/Months |
|-------------|--|----------|-------|-------------------------|
| 53          | Table Tennis Ball (spherical, with a diameter of 40mm and. weigh 2.7g and. be made of celluloid or similar plastics material.)   | 9 boxes  |       | 30 days                 |
| 54          | Table Tennis Racket (Rubber: Pimples In, Size:158*152mm, Weight: Center Focus (All-round Methods), Baseboard Layer Number: Factory-made Racket, Grip Means: Shakehand (long handle)-FL; Penhold (short handle)-CS, Bottom: Factory-made Racket, Handle: Shakehand (long handle))   | 8 sets   |       | 30 days                 |
| 55          | Portable Flip Table Score Board(SKU: DHSScoreboardF504, Shipping Weight: 3.0000kg)   | 4 pcs    |       | 30 days                 |
| 56          | Table Tennis Rubber Glue, 55ml with Spreader   | 2 jars   |       | 30 days                 |
|             | <b>Volleyball Equipment</b>  |          |       | 30 days                 |
| 57          | Volleyball Ball (made of leather or synthetic leather; circumference of 65–67 cm; weight 260–280 g; inside pressure 0.30–0.325 kg/cm <sup>2</sup> ; color Blue and Yellow). <b>MBA 310</b>   | 2 pcs    |       | 30 days                 |
| 58          | Volleyball Net Antenna (made of high density fiberglass; 80 cm; height 32 inch)  | 2 pairs  |       | 30 days                 |
| 59          | Volleyball Net (39 inches tall; It is 32 feet long; color Black; made of knotless polypropylene multi-filament)  | 2 pcs    |       | 30 days                 |
| 60          | Volleyball Stand (movable; height measure 1-1/2" in diameter)  | 2 sets   |       | 30 days                 |
|             | <b>Basketball Equipment</b>  |          |       |                         |
| 61          | Basketball Ball (FIBA Approved; Composite Leather Cover; Butyl Bladder; made of Synthetic Leather; Size DG 7)  | 2 pcs    |       | 30 days                 |
| 62          | Basketball Ring, 8 inches (46 cm) in diameter, made of steel   | 2 pcs    |       | 30 days                 |
| 63          | Basketball Net, made of Nylon All Weather Hoop Goal Standard Rim Outdoor., 8 inches (46 cm) in diameter  | 4 pcs    |       | 30 days                 |
| 64          | Basketball board, made of Fiberglass, size 72 inches (183 cm) wide by 42 inches (110 cm) tall  | 1 set    |       | 30 days                 |
| 65          | Digital Scoreboard, 6" Seven Segment Led display, display time in minutes & seconds display period from 1-4, display team scores from 0-199 ,Team foul horns operates automatically when timer or shot clock reaches zero & can be manually operated during time-out or Team foul / (Built in Buzzer), Size: 30"(W)x42"(L)x2"thick | 1 unit   |       | 30 days                 |
|             | <b>Badminton Equipment</b>   |          |       | 30 days                 |
| 66          | Shuttle Cock: Silver Feather Speed : 77 (3) Quantity: 1 Tube (12 pieces shuttlecock)   | 6 tubes  |       | 30 days                 |

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description  | Quantity  | Total | Delivered, Weeks/Months |
|-------------|--|-----------|-------|-------------------------|
| 67          | Badminton Racket (With the TFA CAP absorbing unwanted vibrations. Includes a Half-length Cover /Flex: Hi-Flex / Frame: Graphite / Shaft: Graphite/NANOMESH + CARBON NANOTUBE Stringing Advice: 4U 19-24 lbs / Weight & Grip Size: 4U (Ave.83g) G5)   | 4 sets    |       | 30 days                 |
|             | <b>Sepak Takraw Equipment</b>  |           |       | 30 days                 |
| 68          | Sepak Takraw Ball, #511 (Synthetic with Rubber Padding) weight 180 grams   | 10 pcs    |       | 30 days                 |
| 69          | Sepak Takraw Ball, #211(Synthetic with Rubber pudding) weight 160 grams  | 5 pcs     |       | 30 days                 |
| 70          | Sepak Taraw Net- Nylon, size 20 feet by 3 feet by 1 inches   | 2 pcs     |       | 30 days                 |
|             | <b>Swimming Equipment</b>  |           |       | 30 days                 |
| 71          | Timer (Stop Watch w/ 1/100 sec precision and intermediate time; Display of time, date and day; 12 or 24 hours display; alarm; hour signal; split button; mode button; start/stop button.   | 10 pcs    |       | 30 days                 |
| 72          | Clapper (Organic(Acrylic) material and non-wood produced, easy to be written or cleaned; English version, beautiful and stable; Computer-graved and with printings non-lose; Built-in magnetic stripe, professional and resonant while being clapped; Clap-strip, special design and powerful enough to avoid crack) | 2 pcs     |       | 30 days                 |
| 73          | Whistle with strap (Dolphin) Outdoor Survival life-saving; Size: 6.1cm x 1.7cm(length x width) ; Weight: 15g   | 6 pcs     |       | 30 days                 |
| 74          | Kick Board (Type: U shape, Material: EVA, Dimension: 28*43*4.3cm)  | 8 pcs     |       | 30 days                 |
| 75          | Pull bouy (Size (L x W x H cm) - 15 x 10 x 25 cm; Weight (kg) - 0.158 kg)  | 10 pcs    |       | 30 days                 |
| 76          | 37 inches pace clock; Made of durable material; Quarter number display; Retractable; w/ wheels attached on bottom. Storage space built into the back of the clock; battery housing.  | 1 pc      |       | 30 days                 |
| 77          | Goggles (Material: PC + silicone; Width of Lens: 45 mm/1.77 inch; Length of Frame: 165 mm/6.50 inch; Length of Nose Bridge: 23 mm/0.91 inch.)  | 10 pcs    |       | 30 days                 |
| 78          | Rope (Material: 100% Poly-dacron; Water resistant and durable; Size: 22mm)   | 31 meters |       | 30 days                 |
| 79          | Rope (Material: 100% Poly Dacron; Water resistant and durable; Size: 10.5 mm)  | 30 meters |       | 30 days                 |
|             | <b>Other Sports Equipment</b>  |           |       | 30 days                 |
| 80          | Lawn Tennis Ball, 3 pcs./tube; diameter 6.54–6.86 cm (2.57–2.70 inches)  | 4 tubes   |       | 30 days                 |



## ***Section VI. Schedule of Requirements***

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| <b>Item Number</b> | <b>Description</b>   | <b>Quantity</b> | <b>Total</b> | <b>Delivered, Weeks/Months</b> |
|--------------------|--|-----------------|--------------|--------------------------------|
| 81                 | Gong (10 inches with a brass hammer; All steel construction with solid wood base; with a plate attached to the gong board that can be struck to signify the 10 second mark.) | 1 pc            |              | 30 days                        |
| 82                 | Chess set (Size (L x W x H cm) - 49 x 49 x 2.5; Weight (kg) 1.5; made of wood.)  | 4 sets          |              | 30 days                        |
| 83                 | Chess Digital Clock (quick-set options control; with sound-alert option warns of time trouble; Size: 7.5 x 4 x 2 inches; Weight (kg) .99.)                                   | 4 pcs           |              | 30 days                        |

## *Section VII. Technical Specifications*

| Item | Specification   | Statement of Compliance  |  |
|------|---|--|--|
|      |   | <p>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).</p> |  |
| 1    | Head Gear (Red and Blue) (light and safe; easy to put on and remove; one of the most versatile head guards around; has air holes throughout to reduce sweat; Velcro fastening chin strap.) <b>without screen/wire mask</b>  | 2 pcs  |  |
| 2    | Body Protector (Black) Without shoulder s made of Vinyl; inside Chest Mold rubber Padding.  | 2 pcs  |  |
| 3    | Mouth Guard (Transparent), <b>single</b>  | 8 pcs  |  |
| 4    | Knee Guard, Black (Dual Function Velcro Strapping around the ankle; ventilated inner mesh materials; Vinyl covered EVA panels for extra protection and comfortable fit)   | 2 pairs  |  |
| 5    | Shin Guard, Black (Complete with air holes; mould firmly to the shin; securely fastened with Velcro Straps; made from foam, dipped in a PVC resin; part of dipped foam range.)  | 2 pairs  |  |
|      | <b>Karatedo Equipment</b>   |  |  |
| 6    | Gloves, Red (Lightweight, flexible sparring gloves; sectioned EVA pads on back of hand and thumbs; ventilated materials allowing your palms to breathe; adjustable Velcro wrist strap; premium synthetic leather)   | 1 pair   |  |
| 7    | Gloves, Blue (Lightweight, flexible sparring gloves; sectioned EVA pads on back of hand and thumbs; ventilated materials allowing your palms to breathe; adjustable Velcro wrist strap; premium synthetic leather)  | 1 pair   |  |
| 8    | Shin Guard and Padded Shoes, Red<br><b>For shin guard:</b><br>Complete with air holes; mould firmly to the shin; securely fastened with Velcro Straps; made from foam, dipped in a PVC resin; part of dipped foam range.<br><b>For Padded Shoes:</b><br>Made of premium synthetic PU leather and Lycra Fabric; 5mm EVA lining pads on the instep, toes and ankle, helps to release shock impact; Adjustable Velcro backing and separate toes wearing design, is easy and fasten to fixed. | 1 pair   |  |

## Section VII. Technical Specifications

| Item | Specification   | Statement of Compliance  |  |
|------|---|--|--|
|      |   | <p>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).</p> |  |
| 9    | <p>Shin Guard and Padded Shoes, Blue</p> <p><b>For shin guard:</b><br/>Complete with air holes; mould firmly to the shin; securely fastened with Velcro Straps; made from foam, dipped in a PVC resin; part of dipped foam range.</p> <p><b>For Padded Shoes:</b><br/>Made of premium synthetic PU leather and Lycra Fabric; 5mm EVA lining pads on the instep, toes and ankle, helps to release shock impact; Adjustable Velcro backing and separate toes wearing design, is easy and fasten to fixed.</p> | 1 pair   |  |
| 10   | Mouth Guard (Clear), <b>single</b>  | 10 pcs   |  |
| 11   | Belt, Red (Polyester/cotton middleweight material; 1-3/4 inches wide, with seven rows of chain stitching)   | 12 pcs   |  |
| 12   | Belt, Blue (Polyester/cotton middleweight material; 1-3/4 inches wide, with seven rows of chain stitching)  | 12 pcs   |  |
| 13   | Rubber Mats (Small Teeth) Durable; Easy to store; Precise fit and easy to assemble; High-grade rubber for impact absorption; Dimensions: 1m x 1m x 12mm   | 20 pcs   |  |
|      | <b>Teak-won-do Equipment</b>  |  |  |
| 14   | Head Gear, Blue/White (light and safe; easy to put on and remove; one of the most versatile head guards around; has air holes throughout to reduce sweat; Velcro fastening chin strap.)   | 2 pcs  |  |
| 15   | Head Gear, Red (light and safe; easy to put on and remove; one of the most versatile head guards around; has air holes throughout to reduce sweat; Velcro fastening chin strap.)  | 2 pcs  |  |
| 16   | Body Protector, size #2 (lightweight, high impact, body protection; blue spots one side, red spots on the reverse side; reinforced straps that tie at the back; suitable for semi contact sparring; lightweight EVA foam in a tough polyurethane cover)   | 2 pcs  |  |

## *Section VII. Technical Specifications*

| Item | Specification  | Statement of Compliance  |  |
|------|--|--|--|
|      |  | <p>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).</p> |  |
| 17   | Body Protector, size #3 (lightweight, high impact, body protection; blue spots one side, red spots on the reverse side; reinforced straps that tie at the back; suitable for semi contact sparring; lightweight EVA foam in a tough polyurethane cover)                                  | 2 pcs  |  |
| 18   | Shin Guard (Complete with air holes; mould firmly to the shin; securely fastened with Velcro Straps; made from foam, dipped in a PVC resin; part of dipped foam range.)  | 2 pairs  |  |
| 19   | Knee Guard (Material Diamond PU or regular PU; type WTF standard; Eco-friendly odorless and nontoxic.)   | 2 pairs  |  |
| 20   | Groin Guard (Men) (standard groin guard with detachable plastic cup; elasticated waist band and support straps; cup is enclosed in a layered pocket with proper opening; can be worn under or over trousers; made from a polyester/cotton/lycra mix.)<br><b>Size: Medium &amp; Large</b> | 2 pcs  |  |
| 21   | Female Guard (Shock absorbing to the groin area; elasticated waist band and support straps; designated to be exclusively for women; can be worn under or over trousers; made from UP) <b>Size: Medium &amp; Large</b>  | 2 pcs  |  |
| 22   | Mouth Guard, <b>single</b>   | 16 pcs   |  |
| 23   | Weighing Scale (Movable; Indicator in kilograms (metric system; Maximum measurable weight: 130 kg / 61 lb; Lightweight; Dimensions: 27 x 24 x 4)   | 1 pc   |  |
| 24   | Whistle (Durable made with ABS material. Comes with Lanyard; No moveable parts, 2 chamber pealess design, Cushioned Mouth Grip (CMG))  | 2 pcs  |  |
|      | <b>Softball Equipment</b>  |  |  |
| 25   | Knee Guard (Made of NYLON/ SPANDEX, 3/8 inch thick foam (Breathable foam padding), "keyhole" design; Open back design with Side wings.)  | 3 pairs  |  |

## *Section VII. Technical Specifications*

| Item | Specification  | Statement of Compliance  |  |
|------|--|--|--|
|      |  | <p>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of <b>ITB</b> Clause 3.1(a)(ii) and/or <b>GCC</b> Clause 2.1(a)(ii).</p> |  |
| 26   | Head Mask (RIPDG-A. Powder-coated bars. Lightweight design; Adjustable width. Provides 180° of vision for an unobstructed view of the field; Upgraded chin cup with VELCRO brand closures covering the entire backside for customizable attachment; Flexible head strap. Side padding accommodates glasses.)   | 2 pcs  |  |
| 27   | Body Protector (Slow Release Padding; Includes a Six Piece Heart Shield; TAG Mesh Velcro Adjustable Back; Two Removable Shoulder Caps; 16" Length.)  | 3 pcs  |  |
| 28   | Base Plate (Complete Set) (Inverted sewn seams for extra durability and double-thick-top for long lasting wear; Outer cover is 100% nylon-impregnated vinyl; Poly foam inner core for maximum shape retention; Packed 3 bases per set with 6 spikes; Official size: 15" x 15")   | 1 set  |  |
| 29   | Softball Gloves (12 pairs per set) (Genuine Leather, Size: 11.75 in, Back: Conventional, Player Break-In: 20, Fit: Youth Pro Taper, Lace: Durable all leather, Lining: Cushioned finger back lining, Padding: Palm and index finger padding for shock resistance, Pattern: Baseball, Series: Select Pro Lite, Shell: Lightweight Leather Shell, Type: Baseball, Web: Vertical Hinge) | 2 sets   |  |
| 30   | Softball Bat, Aluminum Barrel- 2-5/6" Diameter, 3 Drop Weight, Grip-1.2mm Hyper skin Grip, Handle-Ultra Thin 35/29" Composite Handle, Size 31 inches/21 oz   | 2 pcs  |  |
| 31   | Softball Ball (made of Polyurethane (PU) material or Cork material)  | 10 pcs   |  |
|      | <b>Baseball Equipment</b>  |  |  |
| 32   | Knee Guard (M7 Leg Guards, Triple knee provides protection in and out of the squat, IKP (Inner Knee Protection), Removable liner is machine washable, Size: 16")   | 3 pairs  |  |

## *Section VII. Technical Specifications*

| Item | Specification  | Statement of Compliance  |  |
|------|--|--|--|
|      |  | <p>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).</p> |  |
| 33   | Head Mask (Model A165098BK; Assembled Product Weight 1 Pounds; with lightweight, high-strength cage; Designed for maximum field vision; Energy absorbing foam maximizes protection; Moisture-wicking material maintains dry comfort)   | 2 pcs  |  |
| 34   | Body Protector (Slow Release Padding; Includes a Six Piece Heart Shield; TAG Mesh Velcro Adjustable Back; Two Removable Shoulder Caps; 16" Length.)  | 3 pcs  |  |
| 35   | Batting Tee (Hand rolled rubber Flex Top, Comprised of two parts, an adjustable stem and a nine inch weather resistant polymer base, Adjustable 26-43 inch, model weighs in at just under six pounds, with a 9x9" standard base with rounded edges.)   | 1 set  |  |
| 36   | Baseball Bat, Aluminum Barrel- 2-5/8" Diameter, 3 Drop Weight, Grip-1.2mm hyper skin Grip, Handle-Ultra Thin 39/32" Composite Handle, Size 31 inches/21 oz   | 2 pcs  |  |
| 37   | Baseball Gloves (12 pairs per set) (genuine Leather, Size: 11.75 in, Back: Conventional, Player Break-In: 20, Fit: Youth Pro Taper, Lace: Durable all leather, Lining: Cushioned finger back lining, Padding: Palm and index finger padding for shock resistance, Pattern: Baseball, Series: Select Pro Lite, Shell: Lightweight Leather Shell, Type: Baseball, Web: Vertical Hinge) | 2 sets   |  |
| 38   | Baseball Ball (weight 142 and 149 g; circumference 229–235 mm; diameter 2 7/8–3 in or 73–76 mm; made of rubber or cork center, wrapped in yarn)  | 10 pcs   |  |
| 39   | Crotch Cup (Single-layer impact protection, Bio-shape design fits the natural curves of the body for a more secure fit, Gel Perimeter Pad ensures a comfortable fit without restricting range of motion, Vented Bio-shape body promotes airflow.)  | 3 pcs  |  |

## Section VII. Technical Specifications

| Item | Specification   | Statement of Compliance  |  |
|------|---|--|--|
|      |   | <p>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of <b>ITB</b> Clause 3.1(a)(ii) and/or <b>GCC</b> Clause 2.1(a)(ii).</p> |  |
|      | <b>Arnis Equipment</b>  |  |  |
| 40   | Padded Stick (for Arnis), Red, Length: 30", 28"; made of tough internal assembly  | 15 pcs   |  |
| 41   | Padded Stick (for Arnis), Blue, Length: 30", 28"; made of tough internal assembly   | 15 pcs   |  |
| 42   | Groin Guard (Men) special contoured groin cup; kept in place by a dual-Velcro strap. <b>Size: Medium &amp; Large</b>  | 4 pairs  |  |
| 43   | Groin Guard (Women) lightweight padding; kept in place by a dual-Velcro strap. <b>Size: Medium &amp; Large</b>  | 4 pairs  |  |
| 44   | Arm Guard (Cover cool-tech material and vinyl printed with ethnic art.)<br><b>Size: Medium &amp; Large</b>  | 4 pairs  |  |
| 45   | Shin Guard (made of genuine cowhide leather or artificial leather; style Velcro closing strap)  | 4 pairs  |  |
|      | <b>Table Tennis Equipment</b>   |  |  |
| 47   | Table Tennis Table, (Weight: 98 kl, Thickness: 6mm Aluminum Composite, Surface Color: Sky Blue, Height: 760mm adjustable, Length: 2740mm, Width: 1525mm, Bouncing: 220-250mm, Bouncing Range: Less than 5mm, Package Size: 1650 x 1460 x 210 (mm). <b>Foldable with wheels.</b> | 2 units  |  |
| 48   | Table Tennis Net w/ Clamp (Net Fixing: Inside / Post Fixing: Spring72" cotton mesh net and heavy duty metal posts. Tension and height adjustment available;<br>Can firmly fix to the table to keep the net tension high.)   | 2 pcs  |  |
| 49   | Rubber Sheet, Pimpled, Black (for TT Racket) Speed: 10, Spin: 8)  | 1 pc   |  |
| 50   | Rubber Sheet, Pimpled, Red ((for TT Racket) Speed: 10, Spin: 8)   | 1 pc   |  |
| 51   | Rubber Sheet, Plain, Black ((for TT Racket) Speed: 8.8, Spin: 9.1, Tackiness: 2.5 Slightly Tacky, Weight: 4.0 average, Sponge Hardness: 4.9 Medium, Gear: 8.7 many gears, Throw Angle 5.8 Medium high, Consistency: 9.3, Durability: 7.8 Lasts longer than average.)            | 1 pc   |  |

## Section VII. Technical Specifications

| Item | Specification  | Statement of Compliance  |  |
|------|--|--|--|
|      |  | <p>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of <b>ITB</b> Clause 3.1(a)(ii) and/or <b>GCC</b> Clause 2.1(a)(ii).</p> |  |
| 52   | Rubber Sheet, Plain, Red ((for TT Racket) Speed: 8.8, Spin: 9.1, Tackiness: 2.5 Slightly Tacky, Weight: 4.0 average, Sponge Hardness: 4.9 Medium, Gear: 8.7 many gears, Throw Angle 5.8 Medium high, Consistency: 9.3, Durability: 7.8 Lasts longer than average.)             | 1 pc   |  |
| 53   | Table Tennis Ball (spherical, with a diameter of 40mm and. weigh 2.7g and. be made of celluloid or similar plastics material.)   | 9 boxes  |  |
| 54   | Table Tennis Racket (Rubber: Pimples In, Size:158*152mm, Weight: Center Focus (All-round Methods), Baseboard Layer Number: Factory-made Racket, Grip Means: Shakehand (long handle)-FL; Penhold(short handle)-CS, Bottom: Factory-made Racket, Handle: Shakehand(long handle)) | 8 sets   |  |
| 55   | Portable Flip Table Score Board(SKU: DHSScoreboardF504, Shipping Weight: 3.0000kg)   | 4 pcs  |  |
| 56   | Table Tennis Rubber Glue, 55ml with Spreader   | 2 jars   |  |
|      | <b>Volleyball Equipment</b>  |  |  |
| 57   | Volleyball Ball (made of leather or synthetic leather; circumference of 65–67 cm; weight 260–280 g; inside pressure 0.30–0.325 kg/cm <sup>2</sup> ; color Blue and Yellow). <b>MBA 310</b>   | 2 pcs  |  |
| 58   | Volleyball Net Antenna (made of high density fiberglass; 80 centimeters; height 32 inch)   | 2 pairs  |  |
| 59   | Volleyball Net (39 inches tall; It is 32 feet long; color Black; made of knotless polypropylene multi-filament)  | 2 pcs  |  |
| 60   | Volleyball Stand (movable; height measure 1-1/2" in diameter)  | 2 sets   |  |
|      | <b>Basketball Equipment</b>  |  |  |
| 61   | Basketball Ball (FIBA Approved; Composite Leather Cover; Butyl Bladder; made of Synthetic Leather; Size 7.   | 2 pcs  |  |
| 62   | Basketball Ring, 8 inches (46 cm) in diameter, made of steel   | 2 pcs  |  |



## *Section VII. Technical Specifications*

| Item | Specification  | <b>Statement of Compliance</b>  |  |
|------|--|---|--|
|      |  | Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of <b>ITB</b> Clause 3.1(a)(ii) and/or <b>GCC</b> Clause 2.1(a)(ii). |  |
| 63   | Basketball Net, made of Nylon All Weather Hoop Goal Standard Rim Outdoor., 8 inches (46 cm) in diameter  | 4 pcs   |  |
| 64   | Basketball board, made of Fiberglass, size 72 inches (183 cm) wide by 42 inches (110 cm) tall  | 1 set   |  |
| 65   | Digital Scoreboard, 6" Seven Segment Led display, display time in minutes & seconds display period from 1-4, display team scores from 0-199 ,Team foul horns operates automatically when timer or shot clock reaches zero & can be manually operated during time-out or Team foul / (Built in Buzzer), Size: 30"(W)x42"(L)x2"thick | 1 unit  |  |
|      | <b>Badminton Equipment</b>   |   |  |
| 66   | Shuttle Cock: Silver Feather Speed : 77 (3)<br>Quantity: 1 Tube (12 pieces shuttlecock)  | 6 tubes   |  |
| 67   | Badminton Racket (With the TFA CAP absorbing unwanted vibrations. Includes a Half-length Cover /Flex: Hi-Flex / Frame: Graphite / Shaft: Graphite/NANOMESH + CARBON NANOTUBE Stringing Advice: 4U 19-24 lbs / Weight & Grip Size: 4U (Ave.83g) G5)   | 4 sets  |  |
|      | <b>Sepak Takraw Equipment</b>  |   |  |
| 68   | Sepak Takraw Ball, #511 (Synthetic with Rubber Padding) weight 180 grams   | 10 pcs  |  |
| 69   | Sepak Takraw Ball, #211(Synthetic with Rubber pudding) weight 160 grams  | 5 pcs   |  |
| 70   | Sepak Taraw Net- Nylon, size 20 feet by 3 feet by 1 inches   | 2 pcs   |  |
|      | <b>Swimming Equipment</b>  |   |  |
| 71   | Timer (Stop Watch w/ 1/100 sec precision and intermediate time; Display of time, date and day; 12 or 24 hours display; alarm; hour signal; split button; mode button; start/stop button.   | 10 pcs  |  |

## Section VII. Technical Specifications

| Item | Specification  | <b>Statement of Compliance</b>   |  |
|------|--|--|--|
|      |  | <p>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of <b>ITB</b> Clause 3.1(a)(ii) and/or <b>GCC</b> Clause 2.1(a)(ii).</p> |  |
| 72   | Clapper (Organic(Acrylic) material and non-wood produced, easy to be written or cleaned; English version, beautiful and stable; Computer-graved and with printings non-lose; Built-in magnetic stripe, professional and resonant while being clapped; Clap-strip, special design and powerful enough to avoid crack) | 2 pcs  |  |
| 73   | Whistle with strap, Outdoor Survival life-saving; Size: 6.1cm x 1.7cm(length x width) ; Weight: 15g  | 6 pcs  |  |
| 74   | Kick Board (Type: U shape, Material: EVA, Dimension: 28*43*4.3cm)  | 8 pcs  |  |
| 75   | Pull bouy (Size (L x W x H cm) - 15 x 10 x 25 cm; Weight (kg) - 0.158 kg)  | 10 pcs   |  |
| 76   | 37 inches pace clock; Made of durable material; Quarter number display; Retractable; w/ wheels attached on bottom. Storage space built into the back of the clock; battery housing.  | 1 pc   |  |
| 77   | Goggles (Material: PC + silicone; Width of Lens: 45 mm/1.77 inch; Length of Frame: 165 mm/6.50 inch; Length of Nose Bridge: 23 mm/0.91 inch.)  | 10 pcs   |  |
| 78   | Rope (Material: 100% Poly-dacron; Water resistant and durable; Size: 22mm)   | 31 meters  |  |
| 79   | Rope (Material: 100% Poly-dacron; Water resistant and durable; Size: 10.5 mm)  | 30 meters  |  |
|      | <b>Other Sports Equipment</b>  |  |  |
| 80   | Lawn Tennis Ball, 3 pcs./tube; diameter 6.54–6.86 cm (2.57–2.70 inches)  | 4 tubes  |  |
| 81   | Gong (10 inches with a brass hammer; All steel construction with solid wood base; with a plate attached to the gong board that can be struck to signify the 10 second mark.)   | 1 pc   |  |
| 82   | Chess set (Size (L x W x H cm) - 49 x 49 x 2.5; Weight (kg) 1.5; made of wood.)  | 4 sets   |  |
| 83   | Chess Digital Clock (quick-set options control; with sound-alert option warns of time trouble; Size: 7.5 x 4 x 2 inches; Weight (kg) .99.)   | 4 pcs  |  |

**AKLAN STATE UNIVERSITY**  
Banga, Aklan

**Checklist of Eligibility Requirements for the Bidders**

(GOODS)

**Class “A” Eligibility Documents**

- (i) PhilGEPS Certificate of Registration (Platinum Membership) or the Class “A” Eligibility Documents (as per GPPB Resolution No. 26-2017, dated 31 July 2017) such as:
  - a. Registration certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI).
  - b. Valid Mayor’s permit issued by the city or municipality where the principal place of business of the Prospective bidder is located.
  - c. Tax clearance per Executive Order 398, series of 2005, as finally reviewed and approved by the BIR.
  - d. Audited financial statements, stamped “received” by the Bureau of Internal Revenue (BIR) or its duly accredited and authorized institution, for the preceding calendar year, which should not be earlier than two (2) years from bid submission;
- (ii) Statement of the bidder’s all ongoing government and private contracts within two years prior to the deadline for the submission and receipt of bids, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid.
- (iii) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of this IRR, completed within two years prior to the deadline for the submission and receipt of bids which includes end user’s acceptance or official receipt(s) or sales invoice issued for the contract.
- (iv) Computation of Net Financial Contracting Capacity (NFCC) which must be at least equal to the ABC to be bid; or a committed Line of Credit authenticated or confirmed by a Universal or Commercial Bank which must be at least equal to 10% of the ABC.

**Class “A” Technical Documents**

- (v) The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:

The amount of not less than *2% of ABC*, if bid security is in cash, cashier’s/manager’s check, bank draft/guarantee or irrevocable letter of credit; or the amount of not less than *5% of ABC*, if bid security is in Surety Bond.
- (vi) Conformity with technical specifications
- (vii) OMNIBUS STATEMENT – a sworn statement which consolidates all required certificates and sworn Statements; i.e. Bidder’s Responsibilities, Labor laws, Secretary Certificate, Authority to Validate, Authenticity.

**Financial Documents**

- (viii) Financial Bid Form