

Republic of the Philippines  
**AKLAN STATE UNIVERSITY**  
**Bids and Awards Committee**  
 Banga, Aklan

**SUPPLEMENTAL / BID BULLETIN NO. 2017-15**


**Procurement of Equipment for Upgrading of Marine Science Laboratory**

This BID BULLETIN No. 2017-15 is hereby issued to amend and adopt the revisions in Section I. Invitation to Bid, Section III. Bid Data Sheet, and in the attached Section VI. Schedule of Requirements and Section VII. Technical Specifications for your information and guidance in connection with the abovementioned project and the same shall be taken into consideration in the preparation of your bids.

Item No.	Reference	FROM	TO
7	Section I. Invitation to Bid	Bid opening shall be on October 16, 2017 at 1:00 P.M. at the ASU Cafeteria - Lanai Room, Banga, Aklan. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.	Bid opening shall be on October 16, 2017 at <b>11:00 A.M.</b> at the ASU Cafeteria - Lanai Room, Banga, Aklan. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.
ITB Clause 24.1	Section III. Bid Data Sheet	The date and time of bid opening is October 16, 2017 at 1:00 P.M.	The date and time of bid opening is October 16, 2017 at <b>11:00 A.M.</b>
ITB Clause 28.3 (a)	Section III. Bid Data Sheet	Grouping and Evaluation of Lots – Partial bids are allowed. Bidders shall have the option of submitting a proposal on any or all items and evaluation and contract award will be undertaken on a per item basis.  In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.	Grouping and Evaluation of Lots – Partial bid is not allowed. The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.

This bid bulletin shall form an integral part of the Bid Documents.

For the information and guidance of all concerned.

  
**CECILIA T. REYES, PhD**  
 Chairperson, Bids and Awards Committee

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	<b>Air compressor for Scuba tanks</b> Air delivery: 100L/min., 3.5CFM, ACMS filter system; Maximum pressure:225 bar; Power coated steel frame; 5.5/6.5 HP gasoline engine; 4 stage cylinder with intercooler and aftercooler safety valves; Working pressure: 300 PSI; Filling hose with filling valve and adaptor; With Operations Manual, Parts Catalogue, Warranty.	1 unit		30 days
2	<b>Generator Set</b> Diesel; stand-by power 25KVA; 3-phase; voltage 380/220V; minimal sound proof; 50-60Hz frequency; at least 8 hours continuous operating hours	1 unit		
3	<b>Chemical Fume Hood</b> Stainless steel or resin or ceramic bench top; nominal width; 4ft. Bench top; integral blower included; exterior depth at least 37 inches, with duct	1 unit		
4	<b>Standard High Pressure Steel 80 (HP80) Tanks</b> Zinc coated; at least 3000 PSI service pressure	5 units		
5	<b>Laboratory bench</b> Two-sided with sink, drawers, cabinets and shelves at center, minimum 5000 mm length, 914 mm height, 1500 mm width, modular	2 units		
6	<b>Metal Laboratory Wall Work Bench</b> With drawers, cabinets, shelves; stainless steel; worktop resin or ceramic, at least 3000 mm length, 914 mm height, 750 mm width, modular	3 units		

# Technical Specifications

Item	Specification	Statement of Compliance	
		<p>Bidder must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).</p>	
<b>1</b>	<p><b>Air compressor for Scuba tanks</b>            Air delivery: 100L/min., 3.5CFM, ACMS filter system;            Maximum pressure:225 bar; Power coated steel frame; 5.5/6.5 HP gasoline engine; 4 stage cylinder with intercooler and aftercooler safety valves; Working pressure: 300 PSI; Filling hose with filling valve and adaptor; With Operations Manual, Parts Catalogue, Warranty.</p>	1 unit	
<b>2</b>	<p><b>Generator Set</b>            Diesel; stand-by power 25KVA; 3-phase; voltage 380/220V; minimal sound proof; 50-60Hz frequency; at least 8 hours continuous operating hours</p>	1 unit	
<b>3</b>	<p><b>Chemical Fume Hood</b>            Stainless steel or resin or ceramic bench top; nominal width; 4ft. Bench top; integral blower included; exterior depth at least 37 inches, with duct</p>	1 unit	
<b>4</b>	<p><b>Standard High Pressure Steel 80 (HP80) Tanks</b>            Zinc coated; at least 3000 PSI service pressure</p>	5 units	
<b>5</b>	<p><b>Laboratory bench</b>            Two-sided with sink, drawers, cabinets and shelves at center, minimum 5000 mm length, 914 mm height, 1500 mm width, modular</p>	2 units	
<b>6</b>	<p><b>Metal Laboratory Wall Work Bench</b>            With drawers, cabinets, shelves; stainless steel; worktop resin or ceramic, at least 3000 mm length, 914 mm height, 750 mm width, modular</p>	3 units	



