Republic of the Philippines AKLAN STATE UNIVERSITY Bids and Awards Committee Banga, Aklan

SUPPLEMENTAL / BID BULLETIN NO. 2016-24

Procurement of Construction Materials for the Repair of Cattle Shed into Incubation Facility

This BID BULLETIN No. 2016-24 is hereby issued to amend and adopt the following revisions in the project title and in the attached Section VI. Schedule of Requirements and Section VII. Technical Specifications of the bidding documents for your information and guidance in connection with the abovementioned project and the same shall be taken into consideration in the preparation of your bids.

Item	Reference	FROM	ТО
No.			
		Procurement of Construction	Procurement of Construction
	Project Title	Materials for the Conversion	Materials for the Repair of
	3	of Cattle Shed to Incubation	Cattle Shed into Incubation
		Facility	Facility

This bid bulletin shall form an integral part of the Bid Documents.

For the information and guidance of all concerned.

CECILIA T. REYES, PhD
Chairman, Bids and Awards Committee

Item Number			ntity	Total	Delivered, Weeks/Months
1	Gravel & Sand (Fill)	17	cu.m		
2	Portland Cement, 40kg Bag	576	bags		
3	Screened Sand	37	cu.m		
4	3/4" Screened Gravel	30	cu.m		
5	10mmØ x 6m Deformed Steel	622	pcs		
	Bar, 6m G. 33		1		
6	#18 GI Tie Wire	40	kg		
7	Epoxy Primer w/ Catalyst Gray	65	gal		
8	Epoxy Reducer 55, Boysen	5	gal		
9	Muriatic Acid	13	gal		
10	12mmØ Deformed Steel Bar, 9m G. 33	12	pcs		
11	4" Concrete Hollow Blocks	3225	pcs		
12	Flat Latex White	12	pail		
13	Semi-Gloss Latex White	10	pail		
14	Latex Color Raw Sienna	10	Liter		
15	Concrete Neutralizer	2	gal		
16	3.5mm thk Fiber Cement Board (Ceiling)	70	pcs		
17	Metal Furring, 19mm x 50mm x 0.4mm x 5m w/ BPS mark	141	pcs		
18	Carrying Channel,12mm x 38mm x 0.8mm x 5m w/ BPS mark	31	pcs		
19	Wall Angle , 25mm x 25mm x 0.8mm x 2.4m	71	pcs		
20	Drill Bit, 1/8"Ø (for metal)	4	pcs		
21	SDS Plus Drill Bit, 6mmø	4	pcs		
22	Blind Rivet, 1/8"Ø x 1/2"	9	box		
23	Tox & Screw, #6 Tox, #6 x 1" Metal Screw	850	pairs		
24	W-Clip	375	pcs		
25	Sand Paper, #100	8	Lmtr		
26	Patching Compound	20	kg		
27	Paint Roller (7") w/ tray	3	pcs		
28	Paint Brush (3")	2	pcs		
29	Angle Bar, 5mm Thk x 25mm x 25mm x 6m	116	pcs		
30	Flat Bar, 1/4" thk x 1" x 6m	12	pcs		
31	Welding Rod 6013 white	25	kgs		
32	Lacquer Thinner	15	gals		
33	Facia Cover, 0.4mm Thk x 0.4m x 2.4m, White	35	pcs		
34	Straight Ventilation, 0.90m x 0.30 metal white	20 pcs			
35	Cutting Disk, 4"Ø (For Stainless Steel)	2	pcs		

Item Number	Description	Quantity		Total	Delivered, Weeks/Months	
36	Wall Angle, 1" x 1" x 10' (For	23	pcs			
	Minirib), White					
37	Facia Flashing, 0.4mm x 0.40m x 2.44m, Green	15	pcs			
38	Mini-Rib, 0.40mm x 0.78m (Eff. Width) x 6m, White	40	pcs			
39	Rust Converter	6	gal			
40	Steel Brush	15	pcs			
41	Roof Paint, Bagiuo Green	8	pail			
42	Paint Brush (4")	10	pcs			
43	30cm x 30cm Floor Tile Brown	35	pcs			
44	30cm x 30cm Wall Tile Brown	105	pcs			
45	Tile Adhesive Cement, 25kg	3	bags			
46	Watercloset w/ Lavatory &	1	set			
	Complete Accessories					
47	Tile Grout, Color to Match Tiles	5	kg			
48	150 x 150 Stainless Steel Floor	9	pcs			
	Drain		1			
49	3"Ø P-Trap	8	pcs			
50	3"Ø 90° Elbow	4	pcs			
51	3"Ø x 3m Sanitary Pipe S-1000	8	pcs			
52	1/2"Ø Plain Tee PPR	5	pcs			
53	1/2"Ø x 90° Plain Elbow PPR	9	pcs			
54	1/2"Ø x 90° Elbow PPR, One	2	pcs			
	Side Threaded		r			
55	1/2"Ø Female Adapter w/ One	2	pcs			
	Side Threaded					
56	1/2"Ø PPR Pipe, 4m	6	pcs			
57	1/2"Ø Wall Mount Faucet w/ Thread (Verify)	6	pcs			
58	Solvent Cement, 400cc Can	1	can			
59	D1 : 1m Width x 2.1m Height	4	set			
	Panel Flush Door					
	Hollow Core w/ Door Jamb and					
	Complete					
	Accessories					
60	D2 : 0.9m Width x 2.1m Height	2	set			
	Panel Flush Type					
	Hollow Core Door w/ Viewing					
	Glass ,Door Jamb					
	and Complete Accessories					
61	D3 : 0.9m Width x 2.1m Height	2	set			
	Panel Flush Type					
	Hollow Core Door w/ Door					
	Jamb and Complete					
	Accessories					

Item Number	Description	Qua	ntity	Total	Delivered, Weeks/Months
62	D4 : 1.2m Width x 2.1m Height	1	set		
	Double Panel				
	Flush Type Hollow Core Door				
	w/ Viewing Glass,				
	Door Jamb and Complete				
	Accessories				
63	D5 : 0.60m Width x 2.1m Height	1	set		
	PVC Door Brown				
	w/ Louver, Door Jamb and				
	Complete Accessories				
64	D6 : 0.8m Width x 2.1m Height	1	set		
	Panel Flush Type				
	Hollow Core Door w/ Door				
	Jamb and Complete				
	Accessories	_			
65	W1: 2m Width x 0.55m Height	1	set		
	Jalousie Plastic Window				
	w/ Complete Accessories (3				
	Panels) w/				
	Installation	1			
66	W2: 2.8m Width x 0.55m Height	1	set		
	Jalousie Plastic Window				
	w/ Complete Accessories (4				
	Panels) w/ Installation				
67	THHN/ THWN Wire 3.5mm ²				
07	Lead Free 99.9% CU	4	rolls		
68	THHN/ THWN Wire 2.0mm ²	4	10118		
00	Lead Free 99.9% CU	4	rolls		
69	Junction Box w/ Cover	-	10115		
0)	PNS14,BPS mark	30	pcs.		
70	Utility Box w/ PNS14,BPS mark	30	pcs.		
70	Male Threaded Adapter	50	pes.		
/ 1	PNS14,w/ lock nut 1/2"Ø	100	pcs.		
72	PVC Pipe, !/2"X10' PNS14,	100	PCS.		
, 2	Thick Wall, BPS mark	100	pcs.		
73	Electrical tape, Big	12	rolls		
74	Panel Board, 100 AT,150AF,2P		2 - 2 2		
	center Main, 22 KA, w/	1	set		
	Grounding Terminal Center				
	Main 8 Branches				
	1-100AT, 2P, 10 KA Main (UL				
	Listed) Moulded Case				
	Circuit Breaker				
	1-30AT,2P 10 KA				
	4-20AT,2P 10 KA				
	3-15AT,2P 10 KA				

Item Number	Description	Qu	antity	Total	Delivered, Weeks/Months
75	Ground Rod 5/8"ØX10' CU	1	pc.		
76	Two Bolt Connector, # 4/0 CU		_		
	UL Listed	1	pc.		
77	LED Bulb, 10W	26	pcs.		
78	Ceiling Receptacle, 4"X4"	26	pcs.		
79	Circular Loam, 1/4"	30	Ln.m.		
80	duplex Outlet Universal wide Series WEG15925-5	16	set		
81	1-Gang, 1 device white plate WEG6801W-1, 1-touch plate	6	set		
82	1-Gang, 2 device white plate WEG6802W-1, 1-touch plate	6	set		
83	1-Gang, 3 device white plate WEG6803W-1, 1-touch plate	3	set		
84	THHN/ THWN Wire 30mm ²				
	Lead free 99.9% CU	60	mtrs.		
85	THHN Wire 14.0mm ² Lead Free	15	mtrs.		
86	Two Bolt Connector, # 6 CU	2	pcs.		
87	Compression connector .YHO	2	pcs.		

Item No.	Specification			Statement of Compliance Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be
1	1.7	T		regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of IIB Clause 3.1 (a)(ii) and/or GCC Clause2.1 (a)(ii).
1	17	cu.m	Gravel & Sand (Fill)	
2	576	bags	Portland Cement, 40kg Bag	
3	37	cu.m	Screened Sand	
4	30	cu.m	3/4" Screened Gravel	
5	622	pcs	10mmØ Deformed Steel Bar, 6m G. 33	
6	40	kg	#18 GI Tie Wire	
7	65	gal	Epoxy Primer w/ Catalyst Gray	
8	5	gal	Epoxy Reducer 55, Boysen	
9	13	gal	Muriatic Acid	
10	12	pcs	12mmØ Deformed Steel Bar, 9m G. 33	
11	3225	pcs	4" Concrete Hollow Blocks	
12	12	pail	Flat Latex White	
13	10	pail	Semi-Gloss Latex White	
14	10	Liter	Latex Color Raw Sienna	
15	2	gal	Concrete Neutralizer	
16	70	pcs	3.5mm thk Fiber Cement Board (Ceiling)	
17	141	pcs	Metal Furring, 19mm x 50mm x 0.4mm x 5m w/ BPS mark	
18	31	pcs	Carrying Channel,12mm x 38mm x 0.8mm x 5m w/ BPS mark	
19	71	pcs	Wall Angle , 25mm x 25mm x 0.8mm x 2.4m	
20	4	pcs	Drill Bit, 1/8"Ø (for metal)	
21	4	pcs	SDS Plus Drill Bit, 6mmø	
22	9	box	Blind Rivet, 1/8"Ø x 1/2"	
23	850	pairs	Tox & Screw, #6 Tox, #6 x 1" Metal Screw	
24	375	pcs	W-Clip	
25	8	Lmtr	Sand Paper, #100	
26	20	kg	Patching Compound	
27	3	pcs	Paint Roller (7") w/ tray	
28	2	pcs	Paint Brush (3")	
29	116	pcs	Angle Bar, 5mm Thk x 25mm x 25mm x 6m	
30	12	pcs	Flat Bar, 1/4" thk x 1" x 6m	
31	25	kgs	Welding Rod 6013 white	
32	15	gals	Lacquer Thinner	

Item No.	•		Specification	Statement of Compliance Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a)(ii) and/or GCC Clause2.1 (a)(iii)
33	35	pcs	Facia Cover, 0.4mm Thk x 0.4m x 2.4m, White	
34	20	pcs	Straight Ventilation, 0.90m x 0.30 metal white	
35	2	pcs	Cutting Disk, 4"Ø (For Stainless Steel)	
36	23	pcs	Wall Angle, 1" x 1" x 10' (For Minirib), White	
37	15	pcs	Facia Flashing, 0.4mm x 0.40m x 2.44m, Green	
38	40	pcs	Mini-Rib, 0.40mm x 0.78m (Eff. Width) x 6m, White	
39	6	gal	Rust Converter	
40	15	pcs	Steel Brush	
41	8	pail	Roof Paint, Bagiuo Green	
42	10	pcs	Paint Brush (4")	
43	35	pcs	30cm x 30cm Floor Tile Brown	
44	105	pcs	30cm x 30cm Wall Tile Brown	
45	3	bags	Tile Adhesive Cement, 25kg	
46	1	set	Watercloset w/ Lavatory & Complete Accessories	
47	5	kg	Tile Grout, Color to Match Tiles	
48	9	pcs	150 x 150 Stainless Steel Floor Drain	
49	8	pcs	3"Ø P-Trap	
50	4	pcs	3"Ø 90° Elbow	
51	8	pcs	3"Ø x 3m Sanitary Pipe S-1000	
52	5	pcs	1/2"Ø Plain Tee PPR	
53	9	pcs	1/2"Ø x 90° Plain Elbow PPR	
54	2	pcs	1/2"Ø x 90° Elbow PPR, One Side Threaded	
55	2	pcs	1/2"Ø Female Adapter w/ One Side Threaded	
56	6	pcs	1/2"Ø PPR Pipe, 4m	
57	6	pcs	1/2"Ø Wall Mount Faucet w/ Thread (Verify)	
58	1	can	Solvent Cement, 400cc Can	
59	4	set	D1: 1m Width x 2.1m Height Panel Flush Door Hollow Core w/ Door Jamb and Complete Accessories	

Item	Specification			Statement of Compliance		
No.				Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a)(ii) and/or GCC Clause2.1 (a)(ii).		
60	2	set	D2: 0.9m Width x 2.1m Height Panel Flush Type Hollow Core Door w/ Viewing Glass ,Door Jamb and Complete Accessories			
61	2	set	D3: 0.9m Width x 2.1m Height Panel Flush Type Hollow Core Door w/ Door Jamb and Complete Accessories			
62	1	set	D4: 1.2m Width x 2.1m Height Double Panel Flush Type Hollow Core Door w/ Viewing Glass, Door Jamb and Complete Accessories			
63	1	set	D5 : 0.60m Width x 2.1m Height PVC Door Brown w/ Louver, Door Jamb and Complete Accessories			
64	1	set	D6: 0.8m Width x 2.1m Height Panel Flush Type Hollow Core Door w/ Door Jamb and Complete Accessories			
65	1	set	W1: 2m Width x 0.55m Height Jalousie Plastic Window w/ Complete Accessories (3 Panels) w/ Installation			
66	1	set	W2: 2.8m Width x 0.55m Height Jalousie Plastic Window w/ Complete Accessories (4 Panels) w/ Installation			
67	4	rolls	THHN/ THWN Wire 3.5mm ² Lead Free 99.9%CU			
68	4	rolls	THHN/ THWN Wire 2.0mm ² Lead Free 99.9% CU			
69	30	pcs.	Junction Box w/ Cover PNS14,BPS mark			
70	30	pcs.	Utility Box w/ PNS14,BPS mark			
71	100	pcs.	Male Threaded Adapter PNS14,w/lock nut 1/2"Ø			

Item No.			Specification	Statement of Compliance Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding
110				performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a)(ii) and/or GCC Clause2.1 (a)(ii).
72	100	pcs.	PVC Pipe, !/2"X10' PNS14, Thick Wall, BPS mark	
73	12	rolls	Electrical tape, Big	
74	1	set	Panel Board, 100 AT,150AF,2P	
			center Main, 22 KA, w/	
			Grounding Terminal Center Main	
			8 Branches	
			1-100AT, 2P, 10 KA Main (UL Listed) Moulded Case	
			Circuit Breaker	
			1-30AT,2P 10 KA	
			4-20AT,2P 10 KA	
			, and the second	
75	1	no	3-15AT,2P 10 KA	
76	1	pc.	Ground Rod 5/8"ØX10' CU Two Bolt Connector, # 4/0 CU UL	
70	1	pc.	Listed	
77	26	pcs.	LED Bulb, 10W	
78	26	pcs.	Ceiling Receptacle, 4"X4"	
79	30	Ln.m.	Circular Loam, 1/4"	
80	16	set	duplex Outlet Universal wide Series WEG15925-5	
81	6	set	1-Gang, 1 device white plate WEG6801W-1,	
			1-touch plate	
82	6	set	1-Gang, 2 device white plate WEG6802W-1,	
			1-touch plate	
83	3	set	1-Gang, 3 device white plate	
			WEG6803W-1,	
	_		1-touch plate	
84	60	mtrs.	THHN/ THWN Wire 30mm ² Lead	
85	4.5		free 99.9% CU	
	15	mtrs.	THHN Wire 14.0mm ² Lead Free	
86	2	pcs.	Two Bolt Connector, # 6 CU	
87	2	pcs.	Compression connector .YHO	